

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

Revision:0

Revision date: 12/08/2021

## CONVERTIBLE ROOF FABRIC WATERPROOFER AND PROTECTOR

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier LRC11

Product name CONVERTIBLE ROOF FABRIC WATERPROOFER AND PROTECTOR

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU21] Consumer uses: Private households; [SU22] Professional uses: Public domain; [PC1] Adhesives, sealants; [PROC10] Roller application or brushing; [PROC11] Non-industrial spraying; [PROC19] Hand-mixing with intimate contact and only PPE available; [ERC8d] Wide dispersive outdoor use of processing aids in open systems;

Description Sealant Solution.

### 1.3. Details of the supplier of the safety data sheet

Company Restorers Limited  
Address Unit 22  
Argyle Street Factory Estate  
Hull, HU3 1HD,  
East Yorkshire  
United Kingdom

Web [www.leatherrepaircompany.com](http://www.leatherrepaircompany.com)

Telephone 01482 606864

Fax

Email [help@leatherrepaircompany.com](mailto:help@leatherrepaircompany.com)

### Email address of the competent person

[help@leatherrepaircompany.com](mailto:help@leatherrepaircompany.com)

### 1.4. Emergency telephone number

44 (0) 1482 606864 07.30 am - 16.30 pm Mon – Fri

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Eye Irrit. 2: H319;

#### 2.2. Label elements

##### Label elements under CLP:

Hazard statements: H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation



##### Precautionary statements:

P102: Keep out of reach of children.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water/shower.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P363: Wash contaminated clothing before reuse.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT substance.

# CONVERTIBLE ROOF FABRIC WATERPROOFER AND PROTECTOR

Page 2/5

Revision:0

Revision date: 12/08/2021

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

EC 1272/2008

Chemical Name	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Acetic Acid	64-19-7	200-580-7	01-2119475328-30-XXXX	1 - 5	Eye Irrit. 2; H319: 10 % ≤ C < 25 % Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 %
Siloxanes and Silicones, 3-[(2- aminoethyl) amino]propyl, di,Me, hydroxy-terminated	75718-16-0		Polymer	1 – 10	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 ≥ 10 - < 2

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	No significant hazard
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No significant hazard	Eye contact	Irritating to eyes.
Skin contact	May cause irritation to skin.		
Ingestion	Ingestion may cause nausea and vomiting.		

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	No significant hazard
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

### 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.

### 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

### 6.3. Methods and material for containment and cleaning up

Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

### 6.4. Reference to other sections

See section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION for further information.  
See section 13. DISPOSAL CONSIDERATIONS for further information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Ensure adequate ventilation of the working area. Avoid contact with eyes and skin.  
Adopt best Manual Handling considerations when handling, carrying and dispensing.

# CONVERTIBLE ROOF FABRIC WATERPROOFER AND PROTECTOR

Page 3/5

Revision:0

Revision date: 12/08/2021

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in a cool, dry, well-ventilated area.  
Store in correctly labelled containers.

## 7.3. Specific end use(s)

See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.

## SECTION 8: Exposure controls/personal protection

ACETIC ACID 25 - 80 %

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	25 mg/m <sup>3</sup>	37 mg/m <sup>3</sup>	-	-
DNEL/PNEC Values				

ACETIC ACID 25 - 80 %

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (repeated dose)	25 mg/m <sup>3</sup>	Workers	Local
DNEL	Inhalation	25 mg/m <sup>3</sup>	Workers	Local
DNEL	Inhalation (repeated dose)	25 mg/m <sup>3</sup>	Consumers	Local
DNEL	Inhalation	25 mg/m <sup>3</sup>	Consumers	Local
PNEC	Fresh Water	3.058 mg/l	-	-
PNEC	Marine Water	0.3058 mg/l	-	-
PNEC	Fresh Water Sediment	11.36 mg/kg	-	-
PNEC	Marine Water Sediment	1.136 mg/kg	-	-
PNEC	Aqua Sediment	30.58 mg/l	-	-
PNEC	Soil	0.478 mg/kg	-	-
PNEC	Sewage Treatment Plant	85 mg/l	-	-

### 8.1. Control parameters

Occupational exposure controls.

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

#### 8.2.2. Individual protection measures

Wear protective clothing.

Eye / face protection

Approved safety goggles.

Skin protection – Hand protection

Wear suitable gloves.

Skin protection - Other

Wear suitable protective clothing.

Respiratory protection

Wear suitable respiratory equipment when necessary.

Occupational exposure controls

Keep away from food, drink and animal feeding stuffs.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance

Semi Opaque Liquid

Colour:

Colourless

# CONVERTIBLE ROOF FABRIC WATERPROOFER AND PROTECTOR

Page 4/5

Revision:0

Revision date: 12/08/2021

Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	6.0 ± 1.0
Melting point:	Not determined.
Boiling point:	Not determined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.010 g/cm <sup>3</sup> +/- 0.01
Relative density	Not determined.
Particle characteristics	Not Applicable
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Fully miscible.
oxidizing properties	Not determined.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic at 20 °C:	Not determined.
Kinematic:	Not determined.

## 9.2. Other information

<b>Conductivity</b>	No data available
<b>Surface tension</b>	No data available
<b>Gas group</b>	No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No data is available on this product.

### 10.4. Conditions to avoid

No data is available on this product.

### 10.5. Incompatible materials

No data is available on this product.

### 10.6. Hazardous decomposition products

No data is available on this product.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.

#### 11.1.4. Toxicological Information

**Acute toxicity:** Not determined.

## SECTION 12: Ecological information

### 12.1. Toxicity

Not determined.

### 12.2. Persistence and degradability

No data is available on this product.

### 12.3. Bioaccumulative potential

No data is available on this product.

**Partition coefficient** No data available

# CONVERTIBLE ROOF FABRIC WATERPROOFER AND PROTECTOR

Page 5/5

Revision:0

Revision date: 12/08/2021

**12.4. Mobility in soil** No data is available on this product.

**12.5. Results of PBT and vPvB assessment**  
No data is available on this product.

**12.6. Other adverse effects**  
No data is available on this product.

## SECTION 13: Disposal considerations

**13.1. Waste treatment methods**  
Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

**14.1. UN number**  
The product is not classified as dangerous for carriage.

**14.2. UN proper shipping name**  
The product is not classified as dangerous for carriage.

**14.3. Transport hazard class(es)**  
The product is not classified as dangerous for carriage.

**14.4. Packing group** The product is not classified as dangerous for carriage.

**14.5. Environmental hazards**  
The product is not classified as dangerous for carriage.

**14.6. Special precautions for user**  
The product is not classified as dangerous for carriage.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**Regulations** according to 1907/2006/EC, with its amendment Regulation (EU) 2015/830  
REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18  
December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals  
(REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing  
Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council  
Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

**15.2. Chemical safety assessment**  
No data is available on this product.

## SECTION 16: Other information

**Other information**  
**Revision** This document differs from the previous version in the following areas:

### Text of Hazard Statements

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects

### Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.