

Safety data sheet in accordance with 91/155/EEC

Leather Adhesive

Page 1

Revision Date: 20.11.2009 Version : 1 Date of printing : 01.07.2013

1. Identification of the substance/preparation and company

Trade name

Leather Adhesive

Identification of the company

Leather Repair Company,
Unit 16 Argyle Street Factory Estate, :
Hull, East Yorkshire. HU3 1HD
Tel: 01482 606864
W: www.leatherrepaircompany.com
E: info@leatherrepaircompany.com



Information about the substance/preparation

Telephone 01482 606864

Emergency telephone number : 01482 606864

2. Composition/information on ingredients

Chemical characterization

polyurethane

in aqueous dispersion

Hazardous ingredients

N-Methyl-2-pyrrolidone

Concentration : 2 - 4 %

CAS number : 872-50-4

Hazard symbols Xi

R phrases 36/38

3. Hazards identification

No special hazards have to be mentioned.

4. First aid measures

General information

Take affected person to fresh air.

After contact with skin

In case of contact with skin wash off immediately with plenty of water

After contact with eyes

In case of contact with eyes rinse thoroughly with water

After ingestion

Rinse mouth thoroughly with water.

Obtain medical advice.

Safety data sheet in accordance with 91/155/EEC

Leather Adhesive

Page 2

Revision Date: 20.11.2009 Version : 1 Date of printing : 01.07.2013

5. Fire-fighting measures

Suitable extinguishing media

extinguishing measures to suit surroundings

Extinguishing media that must not be used for safety reasons

no restrictions

Further information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

6. Accidental release measures

Environmental precautions

Do not discharge into the subsoil/soil.

Methods for cleaning up/taking up

Take up with absorbent material

Clean equipment with water.

Additional information

Information regarding personal protective measures see, chapter 8.

7. Handling and storage

Advice on safe handling

Observe the usual precautions for handling chemicals

Advice on protection against fire and explosion

No special measures necessary

8. Exposure controls/personal protection

Hygiene measures

Wash hands before breaks and after work.

Respiratory protection :

If ventilation insufficient, use a respiratory protection apparatus

Hand protection :

Protective gloves

Eye protection :

safety glasses

Body protection :

protective clothing

Safety data sheet in accordance with 91/155/EEC

Leather Adhesive

Page 3

Revision Date: 20.11.2009 Version : 1 Date of printing : 01.07.2013

9. Physical and chemical properties

Form : Liquid

Colour : Milky White

Odour : characteristic

Boiling point : 100 °C

Flash point : > 100 °C

Density : approx. 1,0 g/cm³

Solubility in water : miscible

pH value : 7,5 - 9,5

Viscosity (dynamic) 2000 - 5000 mPa.s

10. Stability and reactivity

Thermal decomposition :

No decomposition if used as prescribed.

Hazardous decomposition products

When used and handled as intended, none.

11. Toxicological information

Acute oral toxicity : LD50 > 2.000 mg/kg (rat)

Irritant effect on skin : non-irritant

Irritant effect on eyes : non-irritant

Remarks

The product was classified on the basis of the calculation procedure of the preparations directive (88/379/EC).

12. Ecological information

Remarks

No data available.

Safety data sheet in accordance with 91/155/EEC Leather Adhesive

Page 4

Revision Date: 20.11.2009 Version : 1 Date of printing : 01.07.2013

13. Disposal considerations

Product

Dispose of in accordance with local authority regulations

Uncleaned packaging

Regulations concerning reuse or disposal of used packaging materials must be observed.

14. Transport information

ADR	not restricted
RID	not restricted
ADNR	not restricted
IMDG	not restricted
IATA	not restricted

15. Regulatory information

Labelling in accordance with EC-Directives

The product does not require a hazard warning label in accordance with EC directives/German regulations on dangerous substances.

16. Other information

This information is based on our present state of knowledge. It should not therefore be construed as guaranteeing specific properties of the products described or their suitability for a particular application.